

ARDOX NAILS


Ardox nails have a spiral shank which aids penetration and increases holding power.

- ✦ Used for General Construction, Carpentry, Flooring, Forming & Framing
- ✦ Bright or HDG Finish

ID	Specification	Packaging
NAILARD114P	1-1/4"	50Lb/48
NAILARD112P	1-1/2"	50Lb/48
NAILARD2P	2"	50Lb/48
NAILARD214P	2-1/4"	50Lb/48
NAILARD212P	2-1/2"	50Lb/48
NAILARD3P	3"	50Lb/48
NAILARD314P	3-1/4"	50Lb/48
NAILARD312P	3-1/2"	50Lb/48
NAILARD4P	4"	50Lb/48
NAILARD5P	5"	50Lb/48
NAILARD6P	6"	50Lb/48
NAILARD8P	8"	50Lb/48
NAILARD10P	10"	50Lb/48
NAILARD12P	12"	50Lb/48
NAILARDHDG2P	HDG 2"	50Lb/48
NAILARDHDG3P	HDG 3"	50Lb/48
NAILARDHDG314P	HDG 3-1/4"	50Lb/48
NAILARDHDG312P	HDG 3-1/2"	50Lb/48
NAILARDHDG10P	HDG 10"	50Lb/48
NAILARDHDG12P	HDG 12"	50Lb/48

COMMON NAILS


Most popular and versatile nail. Round Smooth Shank.

- ✦ Used for General Interior & Exterior Construction, Carpentry & Framing
- ✦ Thin Shank Reduces Wood Splitting
- ✦ Standard Bright or Vinyl Finish Special Order

ID	Specification	Packaging
NAILCOM1P	1"	50Lb/48
NAILCOM114P	1-1/4"	50Lb/48
NAILCOM112P	1-1/2"	50Lb/48
NAILCOM2	2"	50Lb/48
NAILCOM212P	2-1/2"	50Lb/48
NAILCOM3	3"	50Lb/48
NAILCOM312	3-1/2"	50Lb/48
NAILCOM3P	3"	50Lb/48
NAILCOM4P	4"	50Lb/48
NAILCOM5	5"	50Lb/48
NAILCOM10P	10"	50Lb/48
NAILCOM12P	12"	50Lb/48
NAILCOMVIN2	2", Vinyl	50Lb/48
NAILCOMVIN212	2-1/2", Vinyl	50Lb/48
NAILCOMVIN312	3-1/2", Vinyl	50Lb/48

CONCRETE NAILS

Concrete nails fasten lumber to any type of concrete or masonry work.

- ◆ Used for Securing Wood Framing or Furring Strips to Brick, Block or Concrete
- ◆ Also Available in 50 lbs. Boxes

ID	Specification	Packaging
NAILCON34	3/4"	4.5Lb/12/48
NAILCON1	1"	4.5Lb/12/48
NAILCON114	1-1/4"	4.5Lb/12/48
NAILCON112	1-1/2"	4.5Lb/12/48
NAILCON134	1-3/4"	4.5Lb/12/48
NAILCON2	2"	4.5Lb/12/48
NAILCON214	2-1/4"	4.5Lb/12/48
NAILCON212	2-1/2"	4.5Lb/12/48
NAILCON234	2-3/4"	4.5Lb/12/48
NAILCON3	3"	4.5Lb/12/48

DOUBLE HEAD PREMIUM NAILS

Double headed nails are best for temporary construction where nail removal is required.

- ◆ Used for Concrete Forming & Scaffolding

ID	Specification	Packaging
NAILDOU214P	2-1/4"	50Lb/48
NAILDOU234P	2-3/4"	50Lb/48
NAILDOU3P	3"	50Lb/48
NAILDOU312P	3-1/2"	50Lb/48

ROOFING NAILS



Electrogalvanized roofing nails feature a large head and heavier shank gauge providing greater holding power.

- ◆ Used for Applying Asphalt Shingles, Insulation Board, Vinyl Siding & Felt-to-wood Substrates
- ◆ Smooth Finish

ID	Specification	Packaging
NAILROOEG1	1"	50Lb/48
NAILROOEG114	1-1/4"	50Lb/48
NAILROOEG112	1-1/2"	50Lb/48
NAILROOEG2	2"	50Lb/48
NAILROOEG212	2-1/2"	50Lb/48
NAILROOEG3	3"	50Lb/48



- ◆ Spiral Shank Used for Masonry

ID	Specification	Packaging
NAILROOSPI112	1-1/2", Spiral	50Lb/48
NAILROOSPI134	1-3/4", Spiral	50Lb/48
NAILROOSPI212	2-1/2", Spiral	50Lb/48

DURA-TOP PREMIUM PLASTIC CAP NAILS



Wide head and spiral shank plastic cap nails will not rip felt.

- ◆ For Fastening Sheathing, Roofing Felt, Board Insulation, Sheathing, Radiant Barrier, House Wrap, & Vapor Barrier Fastener

ID	Specification	Packaging
NAILPLACAP2P	2"	2M/64
NAILPLACAP212P	2-1/2"	2M/64

DRYWALL NAILS

Premium blued drywall nails, ringed shank.

ID	Specification	Packaging
NAILDRY114P	1-1/4"	50Lb/48

SMOOTH FINISHING NAILS

Smooth shank finishing nails feature a small countersinking head for nail concealment.

- ◆ For Trim & Fine Finishing Work
- ◆ Heavier Gauge Suitable for Door Jams & Window Mouldings

ID	Specification	Packaging
NAILFIN1B	1"	50Lb/48
NAILFIN114B	1-1/4"	50Lb/48
NAILFIN112B	1-1/2"	50Lb/48
NAILFIN2B	2"	50Lb/48
NAILFIN212B	2-1/2"	50Lb/48
NAILFIN3B	3"	50Lb/48
NAILFIN312B	3-1/2"	50Lb/48

Special Order. Please Call a Representative to Discuss This Product 1-866-774-3872.

ARDOX FINISHING NAILS

Spiral shank finishing nails provide great holding strength and feature a small countersinking head for nail concealment.

- ◆ For Trim & Fine Finishing Work
- ◆ Heavier Gauge Suitable for Door Jams & Window Mouldings

ID	Specification	Packaging
NAILFINARD114B	1-1/4"	50Lb/48
NAILFINARD112B	1-1/2"	50Lb/48
NAILFINARD2B	2"	50Lb/48
NAILFINARD212B	2-1/2"	50Lb/48

Special Order. Please Call a Representative to Discuss This Product 1-866-774-3872.

MASONRY CUT NAILS

Masonry cut nails are made of hardened and tempered steel fastening wood to concrete.

- ◆ Used to Fasten Framing Parts Such as Sills, Furring Strips, Window & Door Trim to Masonry & Concrete

ID	Specification	Packaging
NAILMASCUT2	2"	50Lb/48
NAILMASCUT3	3"	50Lb/48

JOIST HANGER NAILS

Short, heavy gauge threaded nail provides increased holding power without fully penetrating wood.

- ◆ Used for Attaching Joist Hangers to Wood Studs
- ◆ Hot-Dipped Galvanized Coating
- ◆ Smooth Shank

ID	Specification	Packaging
NAILJOIHANHDG112	HDG, 1-1/2" x 9G	50Lb/48