

BRAD NAILERS

16 Gauge 2-1/2" Brad Nailer



- ◆ Light-Weight & Well-balanced for Easy Maneuverability
- ◆ Easy to Open Magazine
- ◆ Quick Clear Nose
- ◆ Nail Capacity: 100 Nails
- ◆ Nail Range: 16 Gauge Brads
- ◆ Owner Manual in French, Spanish & English
- ◆ Nail Range: 16 Gauge Brads
- ◆ 3/4" to 2-1/2"

18 Gauge 2" Brad Nailer



- ◆ 18 Gauge 2" Brad Nailer
- ◆ Light-Weight & Well-balanced for Easy Maneuverability
- ◆ Easy to Open Magazine
- ◆ Quick Clear Nose
- ◆ Hard Anodized Magazine
- ◆ Nail Range: 18 Gauge Brads

ID	Specification	Man. #
BRADNAILER1664	16G 3/4" - 2-1/2"	1664
BRADNAILER1850	18G 2"	1850

PALM NAILERS

Joist Hanger Nailer



- ◆ Ideal for Joist Hanger Installations Tight Corners, Toe-nailing
- ◆ Reduces Fatigue on Heavy Construction Projects
- ◆ Light Weight, Only 3 Lbs.
- ◆ Great for Hard-to-reach Areas
- ◆ Easy Maintenance, Just Oil Daily
- ◆ Complete with Leather Glove & Quick Connect Stem
- ◆ 360 Degree Turn for Ease Of Use in Confined Spaces

ID	Specification	Man. #
PALMNAILERDDPN	w/ Case	DDPN
PALMNAILERDDPNWM	w/ Magazine	DDPNWM

PALLET NAILERS

2-3/4" Coil Framing Nailer



- ◆ It's Lightweight
- ◆ Well-balanced
- ◆ Ruggedly Made
- ◆ Soft Grip for Comfort & Control

ID	Specification	Man. #
PALLETNAILERPR670P	2-3/4"	PR-670P

PNEUMATIC TOOLS | nailers

CLIPPED HEAD PAPER STRIP NAILER



- ◆ Lightweight & Well Balanced for Easy Maneuverability
- ◆ Rear Loading Magazine Improved for Quick Replenishments-up to 3-1/4"
- ◆ Driving Port, Suited for A Wide Range Of Available Nails
- ◆ Rubber Grip for Added Comfort
- ◆ Open Nose Design Allows Easy Extraction of a Jammed Nail
- ◆ Hardened Claw Tip Reduces Wear & Limits Slippage

15 DEGREE COIL ROOFING NAILER



ID	Specification	Man. #
STRIPNAILERTPSN	Paper Strip Nailer	TPSN314
ROOFNAILERR45H	Coil Roofing Nailer	R45-H

PNEUMATIC TOOLS | staplers

16 GAUGE MEDIUM CROWN STAPLER



- ◆ Uses 3/4" to 2" 16 Gauge Stapler
- ◆ Oil-less Design for Low Maintenance & High Productivity
- ◆ Rubber Comfort Grip, No Mar Tip
- ◆ Ultra Quiet Rear Exhaust, Open Nose Design for Easy Jam Clearing
- ◆ Compact & Lightweight for Easy Maneuverability
- ◆ Magazine Capacity: 100. Driving Power: 135 In. Lbs.
- ◆ Operating Pressure: 70-100 PSI
- ◆ Interior & Exterior Finish & Trim, Furniture, Cabinet Work, Staircases, Paneling & Craft Crafts

ID	Specification	Man. #
STAPLERDDNS1685	7/16" (N Series)	1685

FLOORING STAPLERS



L Cleat Nailer w/Spacer

- ◆ Light Weight, Less Than 9 lbs.
- ◆ High-capacity Magazine
- ◆ Long-reach Handle for Added User Comfort & Control
- ◆ Aircraft-grade Aluminum Housing
- ◆ Baked-on, Powder-coated Finish Resists Wear
- ◆ Pressure-sealed Aluminum Body Casting Eliminates Leaks
- ◆ Operates On 70-100 PSI Air Pressure
- ◆ 9-10-1/2, 1-3/4 & 2 Inch Power Cleat Range
- ◆ 10-11-1/2, 25/32 & 33/32 Inch Tongue & Groove Flooring
- ◆ Operates on 70-100 PSI Air Pressure



Flooring Stapler

- ◆ Lightweight, Less Than 9 lbs.
- ◆ High-capacity Magazine
- ◆ Long-reach Handle for Added User Comfort & Control
- ◆ Aircraft-grade Aluminum Housing
- ◆ Baked-on, Powder-coated Finish Resists Wear
- ◆ Pressure-sealed Aluminum Body Casting Eliminates Leaks
- ◆ User Comfort & Control
- ◆ Stapler for 1/2", 25/32" & 33/32" T&G Flooring
- ◆ Operates on 70-100 PSI Air Pressure

ID	Specification	Man. #
CLEATNAILERPFCN50	L Cleat Nailer 2"	PFCN50
STAPLERPFS50	Stapler 2"	PFS50

HAMMERTACKER PRO



ID	Specification
HAMMERTACKERPRO	For R14 & T50 Staples, 8-14mm

ELECTRIC AIR COMPRESSOR



- ◆ 2 Gallon Tank
- ◆ 15.0 Amps
- ◆ 120 EL Power Cord
- ◆ 2850 RPM
- ◆ Outlet Pressure Gauge
- ◆ Pump Discharge Line
- ◆ Compressor Pump
- ◆ Ventilation Opening
- ◆ 6.5 CFM @ 100PSI

OIL FREE PANCAKE AIR COMPRESSOR



- ◆ Complete Shrouding for Safety & Durability
- ◆ 24 Liters Tank for Big Air Supply
- ◆ Powerful 2 HP Motor
- ◆ Strong Plastic Molded Handle Allows Easy Mobility
- ◆ Max Press: 135 PSI
- ◆ Amperage: 12.5
- ◆ Volts: 115
- ◆ FAD@90PSI: 3.CFM
- ◆ Tank Capacity: 24 Liters

ELECTRIC COMPRESSOR TWIN TANK




- ◆ 4.2 Gallon (Twin Stack)
- ◆ 12.3 Amps

Powered by
HONDA
ENGINES

ID	Specification	Man. #
COMPRESSORAMICO25	1.5 HP, 2G, 15.0 Amps	Amico25
COMPRESSORDAC2	2.0 HP, 24L, 13.0 Amps	DAC2
COMPRESSORDC025	2.5 HP, 4.2G, 12.3 Amps	DC025

HAND CARRY TWIN-STACK COMPRESSOR



- ◆ 4 Gallon Tanks
- ◆ Lightweight, Compact & Extremely Portable
- ◆ Single Stage, Direct Coupled & Oil Lubricated Pump
- ◆ Cast Iron Cylinder for Extended Pump Life
- ◆ Aluminum Head for Better Heat Dissipation
- ◆ Each Unit Is Filled with Synthetic Compressor Pump Oil
- ◆ Canister Inlet Filter with Replaceable Filter Elements
- ◆ Forced Ventilation Cooling System
- ◆ Powder Coated Heavy Duty Steel Tank & Frame Assembly
- ◆ Pressure Relief Safety Valve
- ◆ Manual Tank Drain(s)
- ◆ Special Unloading Valve to Assist in Motor/engine Starting
- ◆ 69 lbs.

Wheeled TWIN TANK COMPRESSOR



- ◆ 8 Gallon Tanks
- ◆ Built-in Water Filtration System
- ◆ Heavy-duty Single Stage Cast Iron Compressor Pump Made in Somerset, PA USA
- ◆ Splash Lubricated & Belt Driven with a Large Flywheel for Extra Cooling & Easier Start-up
- ◆ Each Unit is Filled with Synthetic Blue Compressor Pump Oil
- ◆ Totally Enclosed Heavy-duty Belt Guard
- ◆ Powder Coated Twin Tank Receivers
- ◆ Tanks are Powder Coated & ASME Certified
- ◆ Pneumatic Tire(s) & Protectively Mounted Fittings
- ◆ Large Canister Intake Filter with Replaceable Filter Elements
- ◆ Special Unloading Valves To Assist in Motor Starting
- ◆ Stainless Steel Braided Discharge Hose & Tank Gauge
- ◆ Regulator & Outlet Pressure Gauge
- ◆ 175 lbs.

POWER TOOLS

Powered by
HONDA
ENGINES

ID	Specification	Man #
COMPRESSOR4HPDSI	4.0 HP, 4G, 69 lbs.	AM840-4HG-HC4V
COMPRESSOR55HPDSI	5.5 HP, 8G, 175 lbs.	K5HGA-8P-F38M